

Reference	Full citation
Arponen & Bostrom 2012	Arponen, H., and C. Boström. 2012. Responses of mobile epifauna to small-scale seagrass patchiness: Is fragmentation important? <i>Hydrobiologia</i> 680:1–10.
Bell et al. 2001	Bell, S. S., R. A. Brooks, B. D. Robbins, M. S. Fonseca, and M. O. Hall. 2001. Faunal response to fragmentation in seagrass habitats: Implications for seagrass conservation. <i>Biological Conservation</i> 100:115–123.
Bologna & Heck 1999	Bologna, P. A. X., and K. L. Heck. 1999. Differential predation and growth rates of bay scallops within a seagrass habitat. <i>Journal of Experimental Marine Biology and Ecology</i> 239:299–314.
Bologna & Heck 2000	Bologna, P. A. X., and K. L. Heck. 2000. Impacts of Seagrass Habitat Architecture on Bivalve Settlement. <i>Estuaries</i> 23:449.
Bologna & Heck 2002	Bologna, P. A. X., and K. L. Heck. 2002. Impact of Habitat Edges on Density and Secondary Production of Seagrass-associated Fauna. <i>Estuaries</i> 25:1033-1044.
Bologna 2006	Bologna, P. A. X. 2006. Assessing within habitat variability in plant demography, faunal density, and secondary production in an eelgrass (<i>Zostera marina</i> L.) bed. <i>Journal of Experimental Marine Biology and Ecology</i> 329:122–134.
Borg et al. 2010	Borg, J. A., A. A. Rowden, M. J. Attrill, P. J. Schembri, and M. B. Jones. 2010. Spatial variation in the composition of motile macroinvertebrate assemblages associated with two bed types of the seagrass <i>Posidonia oceanica</i> . <i>Marine Ecology Progress Series</i> 406:91–104.
Carroll & Peterson 2013	Carroll, J. M., and B. J. Peterson. 2013. Ecological trade-offs in seascape ecology: Bay scallop survival and growth across a seagrass seascape. <i>Landscape Ecology</i> 28:1401–1413.
Carroll et al. 2012	Carroll, J. M., B. T. Furman, S. T. Tettelbach, and B. J. Peterson. 2012. Balancing the edge effects budget: Bay scallop settlement and loss along a seagrass edge. <i>Ecology</i> 93:1637–1647.
Farina et al. 2016	Farina, S., I. Guala, S. Oliva, L. Piazzzi, R. P. Da Silva, and G. Ceccherelli. 2016. The seagrass effect turned upside down changes the prospective of sea urchin survival and landscape implications. <i>PLoS ONE</i> 11:1–18.
Frost et al. 1999	Frost, M. T., A. A. Rowden, and M. J. Attrill. 1999. Effect of habitat fragmentation on the macroinvertebrate infaunal communities associated with the seagrass <i>Zostera marina</i> L. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> 9:255–263.
Gorman et al. 2009	Gorman, A. M., R. S. Gregory, and D. C. Schneider. 2009. Eelgrass patch size and proximity to the patch edge affect predation risk of recently settled age 0 cod (<i>Gadus</i>). <i>Journal of Experimental Marine Biology and Ecology</i> 371:1–9.
Gross et al. 2018	Gross, C., C. Donoghue, C. Pruitt, and J. L. Ruesink. 2018. Habitat use patterns and edge effects across a seagrass- unvegetated ecotone depend on species-specific behaviors and sampling methods. <i>Marine Ecological Progress Series</i> 598:1–7.
Gross et al. 2019	Gross, C., Donoghue, C., Pruitt, C., Trimble, A. C., Ruesink, J. L. 2019. Nekton Community Responses to Seagrass Differ with Shoreline Slope. <i>Estuaries and Coasts</i> , 42:1156–1168.
Healey & Hovel 2004	Healey, D., and K. A. Hovel. 2004. Seagrass bed patchiness: Effects on epifaunal communities in San Diego Bay, USA. <i>Journal of Experimental Marine Biology and Ecology</i> 313:155–174.
Hensgen et al. 2014	Hensgen, G. M., G. J. Holt, S. A. Holt, J. A. Williams, and G. W. Stunz. 2014. Landscape pattern influences nekton diversity and abundance in seagrass meadows. <i>Marine Ecology Progress Series</i> 507:139–152.
Hovel & Fonseca 2005	Hovel, K. A., and M. S. Fonseca. 2005. Influence of seagrass landscape structure on the juvenile blue crab habitat-survival function. <i>Marine Ecology Progress Series</i> 300:179–191.
Hovel & Lipcius 2001	Hovel, K. A., and R. N. Lipcius. 2001. Habitat Fragmentation in a Seagrass Landscape: Patch Size and Complexity Control Blue Crab Survival. <i>Ecology</i> 82:1814–1829.
Hovel & Lipcius 2002	Hovel, K. A., and R. N. Lipcius. 2002. The effect of seagrass habitat fragmentation on juvenile blue crab survival. <i>Journal of Experimental Marine Biology and Ecology</i> 271:75-95.
Irlandi 1994	Irlandi, E. A. 1994. Large- and small-scale effects of habitat structure on rates of predation: how percent coverage of seagrass affects rates of predation and siphon nipping on an infaunal bivalve. <i>Oecologia</i> 98:176-183.
Irlandi et al. 1995	Irlandi, E. A., W. G. Ambrose, and B. A. Orlando. 1995. How Spatial Configuration of Seagrass Habitat Influences Growth and Survival of the Bay Scallop. <i>OIKOS</i> 72:307–313.
Kallen et al. 2012	Källén, J., H. Muller, M. L. Franken, A. Crisp, C. Stroh, D. Pillay, and C. Lawrence. 2012. Seagrass-epifauna relationships in a temperate South African estuary: Interplay between patch-size, within-patch location and algal fouling. <i>Estuarine, Coastal and Shelf Science</i> 113:213–220.
Lefcheck et al. 2016	Lefcheck, J. S., Marion, S. R., Lombana, A. V., Orth, R. J. 2016. Faunal communities are invariant to fragmentation in experimental seagrass landscapes. <i>PLoS ONE</i> , 11(5), 1–25. doi: journal.pone.0156550

Macreadie et al. 2009	Macreadie, P. I., J. S. Hindell, G. P. Jenkins, R. M. Connolly, and M. J. Keough. 2009. Fish Responses to Experimental Fragmentation of Seagrass Habitat. <i>Conservation Biology</i> 23:644–652.
Macreadie et al. 2010a	MacReadie, P. I., R. M. Connolly, G. P. Jenkins, J. S. Hindell, and M. J. Keough. 2010a. Edge patterns in aquatic invertebrates explained by predictive models. <i>Marine and Freshwater Research</i> 61:214–218.
Macreadie et al. 2010b	MacReadie, P. I., J. S. Hindell, M. J. Keough, and G. P. Jenkins. 2010b. Resource distribution influences positive edge effects in a seagrass fish 91:2013–2021.
Mahoney et al. 2018	Mahoney, R. D., M. D. Kenworthy, J. K. Geyer, K. A. Hovel, F. J. Fodrie, and N. Carolina. 2018. Journal of Experimental Marine Biology and Ecology Distribution and relative predation risk of nekton reveal complex edge effects within temperate seagrass habitat. <i>Journal of Experimental Marine Biology and Ecology</i> 503:52–59.
Moore & Hovel 2010	Moore, E. C., and K. A. Hovel. 2010. Relative influence of habitat complexity and proximity to patch edges on seagrass epifaunal communities. <i>Oikos</i> 119:1299–1311.
Ollivier et al. 2015	Ollivier, A. Q. R., N. A. Bramwell, E. Hammill, and D. J. Booth. 2015. Are the effects of adjacent habitat type on seagrass gastropod communities being masked by previous focus on habitat dyads? <i>Australian Journal of Zoology</i> 63:357–363.
Peterson et al. 2001	Peterson, B. J., K. R. Thompson, J. H. Cowan, and K. L. Heck. 2001. Comparison of predation pressure in temperate and subtropical seagrass habitats based on chronographic tethering. <i>Marine Ecology Progress Series</i> 224:77–85.
Rielly-Carroll & Freestone 2017	Rielly-Carroll, E., and A. L. Freestone. 2017. Habitat fragmentation differentially affects trophic levels and alters behavior in a multi-trophic marine system. <i>Oecologia</i> 183:899–908.
Sanchez-Jerez et al. 1999	Sánchez-Jerez, P., C. Barberá Cebrián, and A. A. Ramos Esplá. 1999. Comparison of the epifauna spatial distribution in <i>Posidonia oceanica</i> , <i>Cymodocea nodosa</i> and unvegetated bottoms: Importance of meadow edges. <i>Acta Oecologica</i> 20:391–405.
Smith et al. 2008	Smith, T. M., J. S. Hindell, G. P. Jenkins, and R. M. Connolly. 2008. Edge effects on fish associated with seagrass and sand patches. <i>Marine Ecology Progress Series</i> 359:203–213.
Smith et al. 2011	Smith, T. M., J. S. Hindell, G. P. Jenkins, R. M. Connolly and M. J. Keough. 2011. Edge effects in patchy seagrass landscapes: The role of predation in determining fish distribution. <i>Journal of Experimental Marine Biology and Ecology</i> 399:8–16.
Tanner 2005	Tanner, J. E. 2005. Edge effects on fauna in fragmented seagrass meadows. <i>Austral Ecology</i> 30:210–218.
Tanner 2006	Tanner, J. E. 2006. Landscape ecology of interactions between seagrass and mobile epifauna: The matrix matters. <i>Estuarine, Coastal and Shelf Science</i> 68:404–412.
van Houte-Howes 2004	van Houte-Howes, K. S. S., S. J. Turner, C. A. Pilditch 2004. Spatial Differences in Macroinvertebrate Communities in Intertidal Seagrass Habitats and Unvegetated Sediment in Three New Zealand. <i>Estuaries</i> 27:945–957.
Vega Fernandez et al. 2005	Vega Fernández, T., M. Milazzo, F. Badalamenti, and G. D’Anna. 2005. Comparison of the fish assemblages associated with <i>Posidonia oceanica</i> after the partial loss and consequent fragmentation of the meadow. <i>Estuarine, Coastal and Shelf Science</i> , 65(4), 645–653.
Vonk et al. 2010	Vonk, J. A., M. J. A. Christianen, J. Stapel, J. Arie, M. J. A. Christianen, and J. S. Abundance. 2010. Abundance, edge effect, and seasonality of fauna in mixed-species seagrass meadows in southwest Sulawesi, Indonesia. <i>Marine Biology Research</i> 6:282–291.
Warry et al. 2009	Warry, F. Y., J. S. Hindell, P. I. MacReadie, G. P. Jenkins, and R. M. Connolly. 2009. Integrating edge effects into studies of habitat fragmentation: A test using meiofauna in seagrass. <i>Oecologia</i> 159:883–892.
Williams et al. 2016	Williams, J. A., G. J. Holt, M. M. R. Robillard, S. A. Holt, G. Hensgen, and G. W. Stunz. 2016. Seagrass fragmentation impacts recruitment dynamics of estuarine-dependent fish. <i>Journal of Experimental Marine Biology and Ecology</i> 479:97–105.
Yarnall and Fodrie 2020	Yarnall, A. H., and F. J. Fodrie. 2020. Predation patterns across states of landscape fragmentation can shift with seasonal transitions. <i>Oecologia</i> 193:403–413.
Yeager et al. 2016	Yeager, L. A., Keller, D. A., Burns, T. R., Pool, A. S., Fodrie, F. J. 2016. Threshold effects of habitat fragmentation per se on fish diversity at landscapes scales. <i>Ecology</i> , 97(8), 2157–2166. Doi: 10.1002/ecy.1449