

ACCESSION
NUMBER

8500126

DATA DOCUMENTATION FORM

85NODC 130

NOAA FORM 24-13
(4-77)

U.S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEANOGRAPHIC DATA CENTER
RECORDS SECTION
WASHINGTON, DC 20235

FORM APPROVED
O.M.B. No. 41-R2651
EXPIRES 1-81

TT4171 - TT4177

REF 319495 - 319501

(While you are not required to use this form, it is the most desirable mechanism for providing the required ancillary information enabling the NODC and users to obtain the greatest benefit from your data.)

This form should accompany all data submissions to NODC. Section A, Originator Identification, must be completed when the data are submitted. It is highly desirable for NODC to also receive the remaining pertinent information at that time. This may be most easily accomplished by attaching reports, publications, or manuscripts which are readily available describing data collection, analysis, and format specifics. Readable, handwritten submissions are acceptable in all cases. All data shipments should be sent to the above address.

A. ORIGINATOR IDENTIFICATION

THIS SECTION MUST BE COMPLETED BY DONOR FOR ALL DATA TRANSMITTALS

1. NAME AND ADDRESS OF INSTITUTION, LABORATORY, OR ACTIVITY WITH WHICH SUBMITTED DATA ARE ASSOCIATED National Ocean Survey Office of Oceanography Circulation Section, N/OM&I312 6001 Executive Blvd. Rockville MD 20852			
2. EXPEDITION, PROJECT, OR PROGRAM DURING WHICH DATA WERE COLLECTED Chesapeake Bay Circulatory Survey 1983		3. CRUISE NUMBER(S) USED BY ORIGINATOR TO IDENTIFY DATA IN THIS SHIPMENT OPR-D801-FEB3	
4. PLATFORM NAME(S) Ferrel	5. PLATFORM TYPE(S) (E.G., SHIP, BUOY, ETC.) NOAA Ship	6. PLATFORM AND OPERATOR NATIONALITY(IES) PLATFORM OPERATOR	7. DATES FROM: 17/1/83 TO: 11/2/83
8. ARE DATA PROPRIETARY? <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES IF YES, WHEN CAN THEY BE RELEASED FOR GENERAL USE? YEAR MONTH		11. PLEASE DARKEN ALL MARSDEN SQUARES IN WHICH ANY DATA CONTAINED IN YOUR SUBMISSION WERE COLLECTED. GENERAL AREA	
9. ARE DATA DECLARED NATIONAL PROGRAM (DNP)? (I.E., SHOULD THEY BE INCLUDED IN WORLD DATA CENTERS HOLDINGS FOR INTERNATIONAL EXCHANGE?) <input type="checkbox"/> NO <input type="checkbox"/> YES <input type="checkbox"/> PART (SPECIFY BELOW)			
10. PERSON TO WHOM INQUIRIES CONCERNING DATA SHOULD BE ADDRESSED WITH TELEPHONE NUMBER (AND ADDRESS IF OTHER THAN IN ITEM-1) David R. Brown & (301) 443-8301			

B. SCIENTIFIC CONTENT

Include enough information concerning manner of observation, instrumentation, analysis, and data reduction routines to make them understandable to future users. Furnish the minimum documentation considered relevant to each data type. Documentation will be retained as a permanent part of the data and will be available to future users. Equivalent information already available may be substituted for this section of the form (i.e., publications, reports, and manuscripts describing observational and analytical methods). If you do not provide equivalent information by attachment, please complete the scientific content section in a manner similar to the one shown in the following example.

EXAMPLE (HYPOTHETICAL INFORMATION)

NAME OF DATA FIELD	REPORTING UNITS OR CODE	METHODS OF OBSERVATION AND INSTRUMENTS USED (SPECIFY TYPE AND MODEL)	ANALYTICAL METHODS (INCLUDING MODIFICATIONS) AND LABORATORY PROCEDURES	DATA PROCESSING TECHNIQUES WITH FILTERING AND AVERAGING
Salinity	‰	Nansen bottles	Inductive salinometer (Hytech model 5510)	N/A (Not applicable).
		STD Bissett-Berman Model 9006	N/A	Values averaged over 5-meter intervals
Water color	Forel scale	Visual comparison with Forel bottles	N/A	N/A
Sediment size	ϕ units and percent by weight	Ewing corer	Standard sieves. Carbonate fraction removed by acid treatment	Same as "Sedimentary Rock Manual," Folk '65

(SPACE IS PROVIDED ON THE FOLLOWING
TWO PAGES FOR THIS INFORMATION)

B. SCIENTIFIC CONTENT

NAME OF DATA FIELD	REPORTING UNITS OR CODE	METHODS OF OBSERVATION AND INSTRUMENTS USED (SPECIFY TYPE AND MODEL)	ANALYTICAL METHODS (INCLUDING MODIFICATIONS) AND LABORATORY PROCEDURES	DATA PROCESSING TECHNIQUES WITH FILTERING AND AVERAGING

C. DATA FORMAT

This information is requested only for data transmitted on punched cards or magnetic tape. Have one of your data processing specialists furnish answers either on the form or by attaching equivalent readily available documentation. Identify the nature and meaning of all entries and explain any codes used.

- 1. List the record types contained in your file transmittal (e.g., tape label record, master, detail, standard depth, etc.).**
- 2. Describe briefly how your file is organized.**
- 3-13. Self-explanatory.**
- 14. Enter the field name as appropriate (e.g., header information, temperature, depth, salinity.**
- 15. Enter starting position of the field.**
- 16. Enter field length in number columns and unit of measurement (e.g., bit, byte, character, word) in unit column.**
- 17. Enter attributes as expressed in the programming language specified in item 3 (e.g., "F 4.1," "BINARY FIXED (5.1)").**
- 18. Describe field. If sort field, enter "SORT 1" for first, "SORT 2" for second, etc. If field is repeated, state number of times it is repeated.**

C. DATA FORMAT

COMPLETE THIS SECTION FOR PUNCHED CARDS OR TAPE, MAGNETIC TAPE, OR DISC SUBMISSIONS.

**1. LIST RECORD TYPES CONTAINED IN THE TRANSMITTAL OF YOUR FILE
GIVE METHOD OF IDENTIFYING EACH RECORD TYPE**

1. Current Data, NODC File type 005
2. CTD Data, NODC File type 022
3. MET Data, NODC File type 091

2. GIVE BRIEF DESCRIPTION OF FILE ORGANIZATION

3. ATTRIBUTES AS EXPRESSED IN ☐ PL-1 ☐ ALGOL ☐ COBOL
☐ FORTRAN ☐ _____ LANGUAGE

4. RESPONSIBLE COMPUTER SPECIALIST:

NAME AND PHONE NUMBER _____

ADDRESS _____

COMPLETE THIS SECTION IF DATA ARE ON MAGNETIC TAPE

<p>5. RECORDING MODE</p> <p><input type="checkbox"/> BCD <input type="checkbox"/> BINARY <input checked="" type="checkbox"/> ASCII <input type="checkbox"/> EBCDIC <input type="checkbox"/> _____</p>	<p>9. LENGTH OF INTER-RECORD GAP (IF KNOWN) <input type="checkbox"/> 3/4 INCH <input checked="" type="checkbox"/> 1/2 INCH</p>																				
<p>6. NUMBER OF TRACKS (CHANNELS)</p> <p><input type="checkbox"/> SEVEN <input checked="" type="checkbox"/> NINE <input type="checkbox"/> _____</p>	<p>10. END OF FILE MARK <input checked="" type="checkbox"/> OCTAL 17 <input type="checkbox"/> _____</p>																				
<p>7. PARITY</p> <p><input type="checkbox"/> ODD <input checked="" type="checkbox"/> EVEN</p>	<p>11. PASTE-ON-PAPER LABEL DESCRIPTION (INCLUDE ORIGINATOR NAME AND SOME LAY SPECIFICATIONS OF DATA TYPE, VOLUME NUMBER)</p> <table border="1" style="width: 100%; border-collapse: collapse; font-size: small;"> <thead> <tr> <th>type #</th> <th>type #</th> <th>type #</th> <th>type #</th> <th>type #</th> </tr> </thead> <tbody> <tr> <td>0 0000</td> <td>0000 MET</td> <td>0000 MET</td> <td>0000 B</td> <td>0000 B</td> </tr> <tr> <td>6 RUNDY + ATL</td> <td>LANDERH & ANTERH</td> <td>LANDERH & ANTERH</td> <td>6 RUNDY</td> <td>6 RUNDY</td> </tr> <tr> <td>179 files</td> <td>184 files</td> <td>7 files</td> <td>143 files</td> <td>136 files</td> </tr> </tbody> </table>	type #	type #	type #	type #	type #	0 0000	0000 MET	0000 MET	0000 B	0000 B	6 RUNDY + ATL	LANDERH & ANTERH	LANDERH & ANTERH	6 RUNDY	6 RUNDY	179 files	184 files	7 files	143 files	136 files
type #	type #	type #	type #	type #																	
0 0000	0000 MET	0000 MET	0000 B	0000 B																	
6 RUNDY + ATL	LANDERH & ANTERH	LANDERH & ANTERH	6 RUNDY	6 RUNDY																	
179 files	184 files	7 files	143 files	136 files																	
<p>8. DENSITY</p> <p><input type="checkbox"/> 200 BPI <input checked="" type="checkbox"/> 1600 BPI <input type="checkbox"/> 556 BPI <input type="checkbox"/> 800 BPI <input type="checkbox"/> _____</p>	<p>12. PHYSICAL BLOCK LENGTH IN BYTES 1500 characters = 2250 bytes</p> <p>13. LENGTH OF BYTES IN BITS bits/byte</p>																				

RECORD FORMAT DESCRIPTION

RECORD NAME _____

14. FIELD NAME	15. POSITION FROM - 1 MEASURED IN _____ (e.g., bits, bytes)	16. LENGTH		17. ATTRIBUTES	18. USE AND MEANING
		NUMBER	UNITS		

D. INSTRUMENT CALIBRATION

This calibration information will be utilized by NOAA's National Oceanographic Instrumentation Center in their efforts to develop calibration standards for voluntary acceptance by the oceanographic community. Identify the instruments used by your organization to obtain the scientific content of the DDF (i.e., STD, temperature and pressure sensors, salinometers, oxygen meters, velocimeters, etc.) and furnish the calibration data requested by completing and/or checking ("✓") the appropriate spaces. Add the interval time (i.e., 3 months, 6 months, 9 months, etc.) if the fixed interval calibration cycle is checked.

[illegible]

Error Correction Documentation Form

85NODC 130

DATE:

TO:

FROM:

SUBJECT: Error Correction in Processing of Data Set - Accession # 8500126

1) File Type: F022 / C022

2) Project Ident.: CHESAPEAKE BAY NOS

3) Track Nos.: TT4171 - TT4177

REF 319495 - 319501

I. Error Corrections as reported to Principal Investigator:

Error

Correction Completed (Check)

179 FILES HAVE TO BE REARRANGED
SEE FOLLOWING PAGES

II. Additional error corrections:

Error

Correction Completed (Check)

III. Processor Name: _____

45 NODE 130

ACCESSION/TRACK # 8500126

TT4171 - TT4177

REF 319495 - 319501

<u>Step</u>	<u>Completion Date/Init.</u>		<u>Tape # or DSN</u>	<u># of Files</u>	<u>BLKSIZE</u>	<u>LRECL</u>	<u># RECORD</u>
ORIGINATOR TAPE	5/2/85	K	083CTD	1	120	120	3816
QUADI/SCAN TAPE							
ASSIGNED FOR PROCESS.	6/19/85	1K	W01600	3	2400	120	3816
DDF EVALUATION							
QUALITY REVIEW							
PRELIMINARY DATA SORT							
PRELIMINARY MULCHEK							
FIRST USER TAPE							
WORK DISK FILE							
FINAL USER TAPE							
FINAL MULCHEK							
EDITED DISK FILE							
DATA SET "FINALIZED"							

LETTER TRANSMITTING DATA

DATA AS LISTED BELOW WERE FORWARDED TO YOU
BY (Check):☒ ORDINARY MAIL ☐ AIR MAIL☐ REGISTERED MAIL ☐ EXPRESS☐ GBL (Give number) _____

DATE FORWARDED

April 29, 1985

NUMBER OF PACKAGES

TO:

NODC
E/OC13
Page Bldg. 2
3300 Whitehaven St., NW
ATTN: Francis Mitchell

NOTE: A separate transmittal letter is to be used for each type of data, as tidal data, seismology, geomagnetism, etc. State the number of packages and include an executed copy of the transmittal letter in each package. In addition the original and one copy of the letter should be sent under separate cover. The copy will be returned as a receipt. This form should not be used for correspondence or transmitting accounting documents.

1 Box containing:

2 tapes current data 1983
(a) Ches83A - 143 files
(b) Ches83B - 136 files2 tapes of MET data
(a) #083MET - 18 files
(b) #082MET - 7 files1 tape CTD
#083CTD - 179 files ← 85 NODC 130SEE NEXT PAGE TO
SORT FILES

FROM: (Signature)

David R. Browne

*David R. Browne*RECEIVED THE ABOVE
(Name, Division, Date)

Return receipted copy to:

Circulation Section, N/OMA1312
WSC-1, Rm. 419
6001 Executive Blvd.
Rockville, Maryland 20852

TAPE OR DISK ASSIGNMENT SHEET 85N0D130

(MRL) 11/6/78

(Rev. 11/80)

REF 319495 - 319501

TT4171 - TT4177

ACCESSION/TRACK NO.:

8500126

TYPE OF TAPE	TAPE NUMBER	LABEL	LRECL	BLKSIZE	RECFM	REMARKS	# RECORDS
ORIGINATOR	983 CTD	NL	120	120	FB		3816
DUPLICATE	W01600	SL	120	2400	FB	DSN DN0DC 85N0D130	3816
REFORMATTED							
FIRST USER							
FINAL USER							
DISK FILE	DSN					REMARKS	# RECORDS
WORK DISK FILE							
EDITED DISK FILE							

FILE No.	DATE	FILE No.	DATE	FILE No.	DATE
64	830621	2	3 830804	27	830912
65	830621	4	830804	28	830912
66	830621			29	830912
		72	830911	30	830912
67	830621	93	830911		
68	830621	94	830911	100	830912
69	830621	95	830911	101	830912
70	830621	96	830911	102	830912
71	830621	97	830911	103	830912
72	830621	98	830911	104	830912
		99	830912	105	830912
82	830711	5	830912	106	830912
83	830711	6	830912	107	830912
84	830711	7	830912	108	830912
85	830711	8	830912	109	830912
86	830711	9	830912	110	830912
87	830711	10	830912	111	830912
88	830711	11	830912	112	830912
89	830711	12	830912	113	830912
90	830711	13	830912	114	830912
91	830712	14	830912	115	830912
		15	830912	116	830912
1	830718	16	830912	117	830912
2	830719	17	830912	118	830912
73	830725	18	830912	119	830912
74	830725	19	830912	120	830912
75	830725	20	830912	121	830912
76	830725	21	830912	122	830913
77	830725	22	830912	123	830913
78	830725	23	830912	124	830913
79	830726	24	830912	125	830913
80	830726	25	830912	126	830913
81	830727	26	830912	127	830913

128 830913
129 830913
130 830913
131 830913
132 830913

133 830913
134 830913
135 830913
136 830913
137 830913
138 830913

139 830913
140 830913
141 830913
142 830913
143 830913
144 830913

145 830913
146 830913
147 830913
148 830913
149 830913
150 830913

151 830913
152 830914
153 830914
154 830914
155 830914
156 830914

157 830914
158 830914
159 830914
160 830914

3

52 830914
53 830914
54 830914
55 830914
56 830914
57 830914
58 830914
59 830914
60 830914
61 830914
62 830914

4

161 830927
162 830927
163 830927
164 830927
165 830927
166 830927

5

167 831013
168 831013
169 831013
170 831013
171 831013
172 831013
173 831013
174 831013
175 831013

5

34 831013
35 831013
36 831013
37 831013
38 831013
39 831013
40 831013
41 831013
42 831013
43 831013
44 831013
45 831013
46 831013
47 831014
48 831014
49 831014
50 831014
51 831014

6

172 831101
173 831101
174 831101
175 831101

7

176 831119
177 831119
178 831119
179 831119

STAR
FILES

No.	DATE	No.	DATE	No.	DATE	No.	DATE
1	830718	34	831013	67	830621	100	830912
2	830719	35	831013	68	830621	101	830912
3	830804	36	831013	69	830621	102	830912
4	830804	37	831013	70	830621	103	830912
5	830912	38	831013	71	830621	104	830912
6	830912	39	831013	72	830621	105	830912
7	830912	40	831013	73	830725	106	830912
8	830912	41	831013	74	830725	107	830912
9	830912	42	831013	75	830725	108	830912
10	830912	43	831013	76	830725	109	830912
11	830912	44	831013	77	830725	110	830912
12	830912	45	831013	78	830725	111	830912
13	830912	46	831013	79	830726	112	830912
14	830912	47	831014	80	830726	113	830912
15	830912	48	831014	81	830727	114	830912
16	830912	49	831014	82	830711	115	830912
17	830912	50	831014	83	830711	116	830912
18	830912	51	831014	84	830711	117	830912
19	830912	52	830914	85	830711	118	830912
20	830912	53	830914	86	830711	119	830912
21	830912	54	830914	87	830711	120	830912
22	830912	55	830914	88	830711	121	830912
23	830912	56	830914	89	830711	122	830913
24	830912	57	830914	90	830711	123	830913
25	830912	58	830914	91	830712	124	830913
26	830912	59	830914	92	830911	125	830913
27	830912	60	830914	93	830911	126	830913
28	830912	61	830914	94	830911	127	830913
29	830912	62	830914	95	830911	128	830913
30	830912	63	831107	96	830911	129	830913
31	831013	64	830621	97	830911	130	830913
32	831013	65	830621	98	830911	131	830913
33	831013	66	830621	99	830912	132	830913

133	83 0913	166	830927
134	830913	167	831013
135	830913	168	831013
136	830913	169	831013
137	830913	170	831013
138	830913	171	831013
139	830913	172	831101
140	830913	173	831101
141	830913	174	831119
142	830913	175	831119
143	830913	176	831119
144	830913	177	831119
145	830913	178	831119
146	830913	179	831119
147	830913		
148	830913		
149	830913		
150	830913		
151	830913		
152	830914		
153	830914		
154	830914		
155	830914		
156	830914		
157	830914		
158	830914		
159	830914		
160	830914		
161	830927		
162	830927		
163	830927		
164	830927		
165	830927		

USER NAME HALMINSKI	PHONE # 634-7441	ORG/TASK #	DATE SUBMITTED 5/29/85	DATE DUE	BIN # 33
-------------------------------	----------------------------	------------	----------------------------------	----------	--------------------

EQUIPMENT TO BE USED AND FUNCTION TO BE PERFORMED

F022/C022

**MAKE SL COPY. RUN SCAN AND PRINT
3 PAGES OF RECORDS ON OUTPUT**

85 N0DC 130

INPUT MEDIUM PAPER CARD DISK TAPE DISKETTE OTHER(SPECIFY)	OUTPUT MEDIUM CARD DISK PRINT TAPE PLOT DISKETTE OTHER(SPECIFY)
--	--

TAPE/DISKETTE INFORMATION

	TAPE #/ DISKETTE	SLOT #	TRK	DENSITY	PARITY	LABEL TYPE	RECORD TYPE	RECORD LENGTH	MAX. BLOCK SIZE	# OF FILE
INPUT	083CTD		9	1600	ODD	NL	FB	120	120	1
	SECTOR SIZE	EXCHANGE TYPE	CODE: ASCII EBCDIC BCD SDF OTHER(SPECIFY)				DATA SET NAME			PURGE DATE
	TAPE #/ DISKETTE	SLOT #	TRK	DENSITY	PARITY	LABEL TYPE	RECORD TYPE	RECORD LENGTH	MAX. BLOCK SIZE	# OF FILE
	SECTOR SIZE	EXCHANGE TYPE	CODE: ASCII EBCDIC BCD SDF OTHER(SPECIFY)				DATA SET NAME			PURGE DATE
OUTPUT	W01600		9	1600	ODD	SL	FB	120	2400	3
	SECTOR SIZE	EXCHANGE TYPE	CODE: ASCII EBCDIC BCD SDF OTHER(SPECIFY)				DATA SET NAME DN0DC * 85 N0D 130			PURGE DATE
	TAPE #/ DISKETTE	SLOT #	TRK	DENSITY	PARITY	LABEL TYPE	RECORD TYPE	RECORD LENGTH	MAX. BLOCK SIZE	# OF FILE
	SECTOR SIZE	EXCHANGE TYPE	CODE: ASCII EBCDIC BCD SDF OTHER(SPECIFY)				DATA SET NAME			PURGE DATE

SPECIAL INSTRUCTIONS

ESTIMATED
EXECUTION
TIME

D731 USE ONLY

JOB #	DATE JOB COMPLETED	START TIME	END TIME	PRIORITY	DEVICES USED, NUMBER OF TAPE MOUNTS, LINES PRINTED, DISKETTES USED, CARDS PUNCHED, CARDS KEY VERIFIED
1505740H	5/30/85			C	MTAO-MTA.1-2 minutes

COMMENTS

Completed by E. G. Masar

USER NAME HALMINSKI	PHONE # 634-7441	ORG/TASK #	DATE SUBMITTED 5/2/85	DATE DUE	BIN 33
-------------------------------	----------------------------	------------	---------------------------------	----------	------------------

EQUIPMENT TO BE USED AND FUNCTION TO BE PERFORMED

SCAN AND PRINT 3 PAGES OF RECORDS.

INPUT MEDIUM PAPER CARD DISK TAPE DISKETTE OTHER(SPECIFY)	OUTPUT MEDIUM CARD DISK PRINT TAPE PLOT DISKETTE OTHER(SPECIFY)
--	--

TAPE/DISKETTE INFORMATION

	TAPE #/ DISKETTE	SLOT #	TRK	DENSITY	PARITY	LABEL TYPE	RECORD TYPE	RECORD LENGTH	MAX. BLOCK SIZE	# OF FIL
INPUT	083CTD		9	1600		NL	FB	120	120	179
	SECTOR SIZE	EXCHANGE TYPE	CODE: ASCII EBCDIC BCD SDF OTHER(SPECIFY)				DATA SET NAME			PURGE DATE
	TAPE #/ DISKETTE	SLOT #	TRK	DENSITY	PARITY	LABEL TYPE	RECORD TYPE	RECORD LENGTH	MAX. BLOCK SIZE	# OF FIL
	SECTOR SIZE	EXCHANGE TYPE	CODE: ASCII EBCDIC BCD SDF OTHER(SPECIFY)				DATA SET NAME			PURGE DATE
OUTPUT	TAPE #/ DISKETTE	SLOT #	TRK	DENSITY	PARITY	LABEL TYPE	RECORD TYPE	RECORD LENGTH	MAX. BLOCK SIZE	# OF FIL
	SECTOR SIZE	EXCHANGE TYPE	CODE: ASCII EBCDIC BCD SDF OTHER(SPECIFY)				DATA SET NAME			PURGE DATE
	TAPE #/ DISKETTE	SLOT #	TRK	DENSITY	PARITY	LABEL TYPE	RECORD TYPE	RECORD LENGTH	MAX. BLOCK SIZE	# OF FIL
	SECTOR SIZE	EXCHANGE TYPE	CODE: ASCII EBCDIC BCD SDF OTHER(SPECIFY)				DATA SET NAME			PURGE DATE

SPECIAL INSTRUCTIONS

ESTIMATED
EXECUTION
TIME

fatal read error

D731 USE ONLY

JOB #	DATE JOB COMPLETED	START TIME	END TIME	PRIORITY	DEVICES USED, NUMBER OF TAPE MOUNTS, LINES PRINT DISKETTES USED, CARDS PUNCHED, CARDS KEYVERIFIED
5050205	5/2/85			C	MTA1-1 mount

COMMENTS

Completed by E. G. Mason

• Password:

accNo	fleA	refNo	proj	inst	ship	startDate	cruise	catId
-----	----	-----	-----	-----	-----	-----	-----	-----
8500126	F022	TT4171	9999	31J4	318L	1983/06/21	D801-FE8	153156
8500126	C022	319497	9999	31J4	318L	1983/09/12	TT4173	153160
8500126	F022	TT4174	9999	31J4	318L	1983/09/27	D801-FE8	153161
8500126	F022	TT4175	9999	31J4	318L	1983/10/13	D801-FE8	153162
8500126	C022	319499	9999	31J4	318L	1983/10/13	TT4175	153163
8500126	F022	TT4176	9999	31J4	318L	1983/11/01	D801-FE8	153164
8500126	C022	319500	9999	31J4	318L	1983/11/07	TT4176	153165
8500126	F022	TT4177	9999	31J4	318L	1983/11/19	D801-FE8	153166
8500126	F022	TT4172	9999	31J4	31BL	1983/07/11	D801-FE8	153157
8500126	C022	319496	9999	31J4	31BL	1983/07/18	TT4172	153158
8500126	F022	TT4173	9999	31J4	31BL	1983/09/11	D801-FE8	153159

(11 rows affected)

Password:

accNo	fleA	refNo	ship	staCnt	recCnt	startDate	endDate
8500126	F022	TT4171	318L	9	64	83/06/21	83/06/21
8500126	C022	319497	318L	106	37	83/09/12	83/09/14
8500126	F022	TT4174	318L	6	44	83/09/27	83/09/27
8500126	F022	TT4175	318L	27	637	83/10/13	83/10/14
8500126	C022	319499	318L	27	21	83/10/13	83/10/14
8500126	F022	TT4176	318L	3	60	83/11/01	83/11/07
8500126	C022	319500	318L	3	1	83/11/07	83/11/07
8500126	F022	TT4177	318L	6	50	83/11/19	83/11/19
8500126	F022	TT4172	31BL	23	277	83/07/11	83/08/04
8500126	C022	319496	31BL	23	4	83/07/18	83/08/04
8500126	F022	TT4173	31BL	106	2259	83/09/11	83/09/14

(11 rows affected)