

As of October 18, 2010

Count	CDR Variable Name	Essential Climate Variable		Algorithm Name	Collateral Products	Responsible Team Member	Source Data Sensors	Future Source Data Sensor	Spacecraft	Channels	Spatial Resolution			Temporal Resolution		Product Units	Projection	Output Format	Metadata Standard	Other Characteristics	Key publication reference	Existing User Groups	Expected User Groups	Outcome	Impact	Community Workshop Status
Sequential ID number to count products, 1,2,3, ... Please list only one variable per row of the spreadsheet.	e.g. Level 1B radiance, albedo, cloud top height, SST, etc...	For Geophysical Variables (only, i.e., not for Level 1B). Please use the drop down menus in cells below to enter the CDR; you may also click on the above link and use pg 6 in the <i>Guideline for the Generation of Satellite-based Data Sets and Products</i> meeting GCOS Requirements pdf document as a reference.		Please include a name that may be recognizable in the climate community, e.g. IPCC (IPCC, GISS, JAXA, etc.), etc...	List all in one cell. Collateral Products are those which are not proposed as CDRs and are not yet considered to be climate ready, but which are routinely generated as secondary/intermediate outputs from the CDR algorithm. NOAA's CDR Program does not ensure or test the availability or reliability of Collateral Products. Users can contact the code developers for further information.	Please identify which member of your team is primarily responsible for development of this particular product.	List the space sensors which provided the raw data from which your product(s) were generated.	If you plan to provide CDR continuity from existing sensors to future sensors (e.g., from JPSS or other missions), please identify the mission and sensors to be used. NOTE: If you did not propose to address future sensors or data sets, please state "N/A".	Please list all spacecraft from which source data were used (e.g., NOAA-6, EOS Terra, SeaWiFS, GOS-14). Please follow the order used in the list of source data sensors.	Please identify all channels used for each type of source data sensor.	Please use a separate row for each unique resolution (spatial or temporal) - please include the units of the resolution (e.g., mbars, km, degrees).	Please use a separate row for each unique resolution (temporal or temporal) - please include the units of the resolution (e.g., mbars, km, degrees).	As applicable, e.g., early morning, mid-morning, afternoon.	Start of Record: Month/Year	End of Record: Month/Year (please use "present" if it is ongoing; note any gaps if they exist (e.g., Feb 2003))	e.g., Reflectance (unitless), degrees Kelvin, Radiance W/m <sup>2</sup> /sr, etc...	If geospatial, what is your projection?	e.g., NetCDF, binary, HDF, etc...	Is your Metadata compliant with any standards or conventions? e.g., Climate Forecast (CF) Convention, IPCC Standards, ISO 19115-2, etc. If not adhering to a standard, please state "research".	e.g., Clear Sky only, latitudinal or longitudinal range, over oceans only, over land only, etc...	Please provide a list of bibliographic references for 1 or 2 (and any publicly available publications that describe your data set or process, if available).	Please state any existing users (sector general communities, e.g., energy, health, climate modeling, or specific group (e.g., EPA, NOAA, IAD, CDC, ...)). This will help us justify future funding.	List the user groups (not already listed previously) that would likely be interested in the CDR. Who? What is NOAA serving by investing in your work?	Results that stem from use of the outputs. Link to output measures, outcomes refer to an event or condition that is relevant to the program and of direct importance to the intended beneficiaries (e.g., scientists, agency managers, policy makers, other stakeholders). Examples of outcome metrics are the number of alternative refrigerants introduced to society to reduce the loss of stratospheric ozone and scientific outputs integrated into a new understanding of the losses of the Antarctic ozone hole.	The effect that an outcome has on something else. Impact metrics are outcomes that focus on long-term societal, economic, or environmental consequences. Examples of impact metrics include the recovery of stratospheric ozone resulting from implementation of the Montreal Protocol and related policies and the increase in public understanding of the causes and consequences of ozone loss.	Please state whether you have conducted your community workshop (yes). Also, please provide date/location and title, if web page exists. If not yet held, please state your plan. <b>BACKLOG:</b> For the 2009 Announcement of Opportunity, the project expects each product Development Team to conduct an early community workshop (year 1 of funding) in which it will explain the theoretical basis of its algorithm and its proposed CDR development approach. The team is expected to consider all suggestions and requests for action.
		Domain	Variable								Horizontal	Vertical	Orbits	Start Date	End Date											
1	TCDR: Surface Reflectance / TCDR VI, LAI/FPAR	Terrestrial	LAI, FPAR, Albedo	LTDR	Cloud Mask	Eric Vermote	AVHRR, MODIS, SPOT-VEGETATION	VIIRS	NOAA, Terra, Aqua, SPOT	All	0.05deg	Mid morning / Afternoon	1981	present	Reflectance (unitless)	Plate Carree (equal angle)	hdf4	research	90N-90S	LTDR presentation at the 2009 Fall AGU <a href="http://tdr.nascom.nasa.gov/cgi-bin/tdr/tdrPage.cgi?fileName=docs">http://tdr.nascom.nasa.gov/cgi-bin/tdr/tdrPage.cgi?fileName=docs</a>	Land cover Land use Change community, Terrestrial Ecology, agriculture, food security, global vegetation dynamics modellers, carbon modellers		Long term record of climate quality available to the scientific community for variety of studies pertaining to global/climate driven change	A long term record enabling better understanding of global change dynamics and offering insight into potential mitigation of future impacts	Not yet conducted the community workshop	